

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of the claims in the application:

Listing of Claims:

1.- 46. (Cancelled)

47. (New) A system for monitoring a physiological condition of an individual using a computer network, comprising:

(a) a first processing unit having access to one or more databases and performing operations according to monitoring application programming, including

(i) generating a script program for collecting measuring device measurement data relating to the physiological condition of the individual, and

(ii) assigning the script program to the individual;

(b) a remote processing apparatus for signal connecting with a measuring device and receiving data corresponding to measurements of at least one parameter indicative of the physiological condition of the individual, and for signal connecting with the first processing unit for transmitting data corresponding to the measurements to the first processing unit according to instructions contained in the script program including a transmit command for transmitting the data to the first processing unit; and

(c) a workstation for connecting to the first processing unit and receiving data corresponding to the measurements so that a health care provider may review a report generated based on the collected data.

48. (New) The system of claim 47, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the monitoring device measurement data including blood glucose data.

49. (New) The system of claim 48, the workstation further comprising script entry programming for permitting input by the health care provider that is communicated to

the first processing unit based on which the first processing unit generates and assigns to the individual the script program.

50. (New) The system of claim 49, the script programming including a collect command for collecting the blood glucose measurements from the measuring device.
51. (New) The system of claim 48, the monitoring application programming further providing instructions for the first processing unit to generate said report based on the collected blood glucose data.
52. (New) The system of claim 48, the remote processing apparatus further including a script interpreter for executing the script program.
53. (New) The system of claim 48, the generating and assigning of the script program including appending a unique patient identification code to the script program for the individual.
54. (New) The system of claim 48, the monitoring application programming further instructing the first processing unit to store the script program in a database, the assignment of the script program including generating a pointer to the script program for the individual for storing in a look-up table associated with the database.
55. (New) The system of claim 47, the script program including queries and response choices for the individual.
56. (New) The system of claim 55, the remote apparatus including input means for the individual to input responses to the queries to be communicated to the first processing unit for review by the health care provider.
57. (New) The system of claim 48, the remote apparatus being sufficiently compact to be hand-held and carried by the individual.

58. (New) The system of claim 48, the report including a graph of several blood glucose data measurements.
59. (New) A system for monitoring a physiological condition of an individual using a computer network, comprising:
- (a) a first processing unit having access to one or more databases and performing operations according to monitoring application programming, including
 - (i) generating a script program for collecting measuring device measurement data relating to the physiological condition of the individual, and
 - (ii) assigning the script program to the individual;
 - (b) a remote processing apparatus for signal connecting with a measuring device and receiving data corresponding to measurements of at least one parameter indicative of the physiological condition of the individual according to instructions contained in the script program including a collect command for collecting the blood glucose measurements from the measuring device, and for signal connecting with the first processing unit; and
 - (c) a workstation for connecting to the first processing unit and receiving data corresponding to the measurements so that a health care provider may review a report generated based on the collected data.
60. (New) The system of claim 59, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the measuring device measurement data including blood glucose data.
61. (New) The system of claim 60, the workstation further comprising script entry programming for permitting input by the health care provider that is communicated to the first processing unit based on which the first processing unit generates and assigns to the individual the script program.

62. (New) The system of claim 60, the monitoring application programming further providing instructions for the first processing unit to generate said report based on the collected blood glucose data.
63. (New) A remote processing apparatus of a system for monitoring a physiological condition of an individual using a computer network, comprising one or more communication ports for signal connecting with a measuring device and receiving data from the measuring device corresponding to measurements of at least one parameter indicative of the health condition of the individual, and for signal connecting with a first processing unit for transmitting data corresponding to the measurements to the first processing unit according to instructions contained in a script program including a transmit command, the remote apparatus connecting via the one or more communication ports to the first processing unit for receiving the instructions contained in the script program from the first processing unit and for delivering the data corresponding to the measurements to the first processing unit
64. (New) The remote apparatus of claim 63, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the measurements including blood glucose measurements
65. (New) A remote processing apparatus of a system for monitoring a physiological condition of an individual using a computer network, comprising one or more communication ports for signal connecting with a measuring device and receiving data corresponding to measurements of at least one parameter indicative of the health condition of the individual according to instructions contained in a script program including a collect command, and for signal connecting with a first processing unit for transmitting data corresponding to the measurements to the first processing unit, the remote apparatus connecting via the one or more communication ports to the first processing unit for receiving the instructions contained in the script program from the first processing unit and for delivering the data corresponding to the measurements to the first processing unit.

66. (New) The remote apparatus of claim 65, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the measurements including blood glucose measurements.
67. (New) The remote apparatus of claim 66, the transmitting of the blood glucose data to the first processing unit being according to instructions contained in a script program including a transmit command.
68. (New) A processing unit of a system for monitoring a physiological condition of an individual using a computer network, the processing unit having access to one or more databases and performing operations according to monitoring application programming, including
- (a) running a script program for collecting measuring device measurement data relating to the physiological condition of the individual, the measuring device being configured for coupling with a remote processing apparatus associated with the individual,
 - (b) assigning the script program to the individual,
 - (c) delivering data to the remote processing apparatus including script program instructions including a transmit command for transmitting the measuring device measurement data from the remote processing apparatus to the processing unit, and
 - (d) receiving the data transmitted according to the script program instructions from the remote processing apparatus.
69. (New) The processing unit of claim 68, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the measuring device measurement data including blood glucose data
70. (New) The processing unit of claim 69, the monitoring application programming further comprising instructions for connecting to a workstation and transmitting data corresponding to the blood glucose measurements to the workstation so that a health

case provider may review a report generated based on the collected blood glucose data.

71. (New) The processing unit of claim 70, the report including a graph of several blood glucose data measurements.
72. (New) A processing unit of a system for monitoring a physiological condition of an individual using a computer network, the processing unit having access to one or more databases and performing operations according to monitoring application programming, including
 - (a) running a script program including a collect command for collecting measuring device measurement data relating to the physiological condition of the individual, the measuring device being configured for coupling with a remote processing apparatus associated with the individual,
 - (b) assigning the script program to the individual,
 - (c) delivering data to the remote processing apparatus including instructions for transmitting the measuring device measurement data to the processing unit, and
 - (d) receiving the data transmitted according to the script program instructions from the remote processing apparatus.
73. (New) The processing unit of claim 72, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the measuring device measurement data including blood glucose data.
74. (New) The processing unit of claim 73, the monitoring application programming further comprising instructions for connecting to a workstation and transmitting data corresponding to the blood glucose measurements to the workstation so that a health case provider may review a report generated based on the collected blood glucose data.

75. (New) The processing unit of claim 74, the report including a graph of several blood glucose data measurements.
76. (New) The processing unit of claim 73, the instructions delivered to the remote processing apparatus including a script program including a transmit command for transmitting the measuring device measurement data from the remote processing apparatus to the processing unit.
77. (New) A method of monitoring a physiological condition of an individual using a computer network at least including a first processing apparatus and a remote processing apparatus, the first processing unit having a script program stored therein including instructions permitting measuring device measurement data to be received from the remote apparatus, the remote apparatus for receiving the measurement data from a signal coupling with a measuring device that measures at least one parameter indicative of the physiological condition, the method including:
- storing a script assignment for associating the script program with the individual;
 - connecting the first processing unit with the remote apparatus;
 - executing the script program including a measuring device measurement data transmit command; and
 - transmitting measuring device measurement data from the remote processing apparatus to the first processing unit upon execution of the transmit command of the script program.
78. (New) The method of claim 77, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the monitoring device measurement data including blood glucose data.
79. (New) The method of claim 78, further including generating a report based upon the collected blood glucose measurement data.

80. (New) The method of claim 79, further including transmitting the report to a workstation connected with the first processing unit.
81. (New) The method of claim 80, the report including a graph including several blood glucose data measurements.
82. (New) The method of claim 78, further including collecting measuring device measurement data by the remote processing apparatus from the measuring device according to a collect command of one or more script programs received from the first processing apparatus.
83. (New) The method of claim 82, further including prompting for device connection to the remote processing apparatus; and connecting the remote processing apparatus to interface with the blood glucose measurement device.
84. (New) A method of monitoring a physiological condition of an individual using a computer network at least including a first processing apparatus and a remote processing apparatus, the first processing unit having a script program stored therein including instructions permitting measuring device measurement data to be received from the remote processing apparatus, the remote apparatus for receiving the measurement data from a signal coupling with a measuring device that measures at least one parameter indicative of the physiological condition, the method including:
- collecting device measurement data by the remote processing apparatus from the measuring device according to a collect command of one or more script programs received from the first processing apparatus;
 - connecting the remote processing apparatus to interface with the first processing apparatus; and
 - transmitting the device measurement data from the remote processing apparatus to the first processing unit.

85. (New) The method of claim 84, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the measuring device measurement data including blood glucose data.
86. (New) The method of claim 85, further including generating a report based upon the collected blood glucose measurement data.
87. (New) The method of claim 86, further including transmitting the report to a workstation connected with the first processing unit.
88. (New) The method of claim 87, the report including a graph including several blood glucose data measurements.
89. (New) The method of claim 85, further including prompting for device connection to the remote processing apparatus; and connecting the remote processing apparatus to interface with the blood glucose measurement device.
90. (New) The method of claim 85, said transmitting of the blood glucose data from the remote apparatus to the first processing unit being according to a transmit command of the one or more script programs stored for access by the first processing apparatus.
91. (New) One or more processor readable storage devices having processor readable code embodied thereon, said processor readable code for programming one or more processors to perform a method of monitoring a physiological condition of an individual using a computer network at least including a first processing apparatus and a remote processing apparatus, the first processing unit having access to a script program stored within the one or more storage devices including instructions permitting measuring device measurement data to be received from the remote processing apparatus, the remote apparatus for receiving the measurement data from a signal coupling with a measuring device that measures at least one parameter indicative of the physiological condition, the method including:

storing a script assignment for associating the script program with the individual;
connecting the first processing unit with the remote apparatus;
executing the script program including a measuring device measurement data
transmit command; and
transmitting measuring device measurement data from the remote apparatus to the
first processing unit upon execution of the transmit command of the script program.

92. (New) The one or more storage devices of claim 91, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the measuring device measurement data including blood glucose data.
93. (New) The one or more storage devices of claim 92, the method further including generating a report based upon the collected blood glucose measurement data.
94. (New) The one or more storage devices of claim 93, the method further including transmitting the report to a workstation connected with the first processing unit.
95. (New) The one or more storage devices of claim 94, the report including a graph including several blood glucose data measurements.
96. (New) The one or more storage devices of claim 92, the method further including collecting device measurement data by the remote apparatus from the measuring device according to a collect command of one or more script programs received from the first processing apparatus.
97. (New) The one or more storage devices of claim 96, the method further including prompting for device connection to the remote processing apparatus; and connecting the remote processing apparatus to interface with the blood glucose measurement device.

98. (New) One or more processor readable storage devices having processor readable code embodied thereon, said processor readable code for programming one or more processors to perform a method of monitoring a physiological condition of an individual using a computer network at least including a first processing apparatus and a remote processing apparatus, the first processing unit having access to a script program stored in the one or more storage devices including instructions permitting measuring device measurement data to be received from the remote processing apparatus, the remote apparatus for receiving the measurement data from a signal coupling with a measuring device that measures at least one parameter indicative of the physiological condition, the method including:

collecting device measurement data by the remote processing apparatus from the measuring device according to a collect command of one or more script programs received from the first processing apparatus;

connecting the remote processing apparatus to interface with the first processing apparatus; and

transmitting the device measurement data from the remote processing apparatus to the first processing unit.

99. (New) The one or more storage devices of claim 98, the physiological condition including diabetes, the measuring device including a blood glucose measurement device, and the measuring device measurement data including blood glucose data.

100. (New) The one or more storage devices of claim 99, the method further including generating a report based upon the collected blood glucose measurement data.

101. (New) The one or more storage devices of claim 100, the method further including transmitting the report to a workstation connected with the first processing unit.

102. (New) The one or more storage devices of claim 101, the report including a graph including several blood glucose data measurements.

103. (New) The one or more storage devices of claim 99, the method further including prompting for device connection to the remote processing apparatus; and connecting the remote processing apparatus to interface with the blood glucose measurement device.
104. (New) The one or more storage devices of claim 99, said transmitting of the device measurement data from the remote processing apparatus to the first processing unit being according to a transmit command of the one or more script programs stored for access by the first processing apparatus.